



BAY AREA AQMD

VOC Rule 8-45
Effective January 1, 2010

Product	Mix Ratio	Hardener	Activator / Reducer	Additive	Applied VOC	
Pretreatment Coating					System Limit: 660 g/L	VOC Regulatory
Autoprep Etching Pen CF	Ready to use	N/A	N/A	N/A	0 g/L	
Autoprep Pretreatment Wipes	Ready to use	N/A	N/A	N/A	0 g/L	
Washprimer EM CF	1:1:1	Washhardener EM CF LV	Autoclear II LV Reducer	N/A	655 g/L	
Primer (Surfacer)					System Limit: 250 g/L	VOC Regulatory
Autowave Filler	Ready to Spray	N/A	N/A	N/A	192 g/L	
Colorbuild Plus 250	100:25:25	Colorbuild Plus 250 Hardener	Colorbuild Plus 250 Activator	N/A	204 g/L	
	100:15 additive then 100:25:25	Colorbuild Plus 250 Hardener	Colorbuild Plus 250 Activator	LV Elast-o-Actif	204 g/L	
Primer (Sealer)					System Limit: 250 g/L	VOC Regulatory
Colorbuild Plus 250	3:1:1	Colorbuild Plus 250 Hardener	Colorbuild Plus 250 Activator	N/A	216 g/L	
	100:15 additive then 3:1:1	Colorbuild Plus 250 Hardener	Colorbuild Plus 250 Activator	LV Elast-o-Actif	216 g/L	
	100:60 additive then 3:1:1	Colorbuild Plus 250 Hardener	Colorbuild Plus 250 Activator	Colorbuild Plus 250 Underhood Additive	180 g/L	
Color Coating (Basecoat)					System Limit: 420 g/L	VOC Regulatory
Autowave MM	100:10:50	N/A	Activator WB	N/A	420 g/L	
	100:5 hardener then 100:10:50 activator	WB Hardener	Activator WB	N/A	408 g/L	
	100:5 additive then 100:10:50 activator	N/A	Activator WB	Autowave Additive LP	420 g/L	
	100:20:10	N/A	Activator WB	Autowave Underhood Additive	372 g/L	
Clear Coating					System Limit: 250 g/L	VOC Regulatory
Autoclear HS + LV	3:1:1	Autoclear HS+LV Hardener	Autoclear HS+LV LH Activators	N/A	228 g/L	
	100:10 additive then 3:1:1	Autoclear HS+LV Hardener	Autoclear HS+LV LH Activators	LV Elast-o-Actif	228 g/L	
	3:1:1 1/2oz additive / RTS liter	Autoclear HS+LV Hardener	Autoclear HS+LV LH Activators	LV 250 Accelerator	228 g/L	
Autoclear Superior 250	3:2:1	Autoclear Superior Hardener	Autoclear Superior 250 Reducers	N/A	240 g/L	
	100:10 additive then 3:2:1	Autoclear Superior 250 Hardener	Autoclear Superior 250 Reducers	LV Elast-o-Actif	240 g/L	
	3:2:1 1/2oz additive / RTS liter	Autoclear Superior 250 Hardener	Autoclear Superior 250 Reducers	LV 250 Accelerator	240 g/L	
Autoclear Energy Pro 250	3:1:1	Autoclear Energy Pro 250 Hardener	Autoclear Energy Pro 250 Activators	N/A	228 g/L	
	3:1 additive then 3:1:1	Autoclear Energy Pro 250 Hardener	Autoclear Energy Pro 250 Activators	LV Elast-o-Actif	216 g/L	
Autoclear Mat LV	3:1:1	Autoclear HS+LV Hardener	Autoclear HS+LV LH Activators	N/A	240 g/L	
	100:33 additive then 3:1:1	Autoclear HS+LV Hardener	Autoclear HS+LV LH Activators	LV Elast-o-Actif	240 g/L	
	100:50:30	Autoclear Superior 250 Hardener	Autoclear Superior 250 Reducers	N/A	192 g/L	
	100:20 additive then 3:2:1	Autoclear Superior 250 Hardener	Autoclear Superior 250 Reducers	LV Elast-o-Actif	180 g/L	





BAY AREA AQMD

VOC Rule 8-45
Effective January 1, 2010

Product	Mix Ratio	Hardener	Activator / Reducer	Additive	Applied VOC
Adhesion Promoter			System Limit: 540 g/L		VOC Regulatory
Primer PO LV	Ready to Spray	N/A	N/A	N/A	492 g/L
Colorbuild Plus 250	100:25:25	Colorbuild Plus 250 Hardener	All Plastics Adhesion Promoter	N/A	360 g/L
	100:15 additive then 100:25:25	Colorbuild Plus 250 Hardener	All Plastics Adhesion Promoter	LV Elast-o-Actif	348 g/L
	3:1:1	Colorbuild Plus 250 Hardener	All Plastics Adhesion Promoter	N/A	396 g/L
	100:15 additive then 3:1:1	Colorbuild Plus 250 Hardener	All Plastics Adhesion Promoter	LV Elast-o-Actif	384 g/L
Uniform Finish Coating			System Limit: 540 g/L		VOC Regulatory
Reducer SRA 4.5	Ready to Spray	N/A	N/A	N/A	456 g/L
Other Coatings			System Limit: 250 g/L		VOC Regulatory
OTO Body Coat	Ready to Spray	N/A	N/A	N/A	60 g/L
Surface Cleaners (max usage 20 gallons per year)			System Limit: 350 g/L		VOC Actual
Autoclean Surface Cleaner 1.28	Ready to Spray	N/A	N/A	N/A	153 g/L
Surface Cleaners (unlimited usage)			System Limit: 25 g/L		VOC Actual
Autoclean Surface Cleaner	Ready to Spray	N/A	N/A	N/A	9 g/L
Gun Cleaners			System Limit: 25 g/L		VOC Actual
Cleaning Solvent LV	Ready to Spray	N/A	N/A	N/A	24 g/L





BAY AREA AQMD

VOC Rule 8-45
Effective January 1, 2010

Product	VOC Regulatory	VOC Actual
Autoprep Etching Pen CF	0	0
Autoprep Cleaning Wipes	0	0
Washprimer EM CF	626	623
Autowave Filler	204	96
Colorbuild Plus 250	156	84
Autowave MM 666 / Autowave MM 888DF (4:1)	408	144
Autoclear HS + LV	144	72
Autoclear Superior 250	276	228
Autoclear Energy Pro 250	204	108
Autoclear Mat LV	168	96
OTO Bodycoat	60	24
Primer PO LV	492	12
Reducer SRA 4.5	456	36
Washhardener EM CF LV	768	192
Colorbuild Plus 250 Hardener	252	120
WB Hardener	336	336
Autoclear HS+LV Hardener	0	0
Autoclear Superior 250 Hardener	0	0
Autoclear Energy Pro 250 Hardener	0	0
Autoclear II LV Reducer	0	0
Colorbuild Plus 250 Activator	804	120
Activator WB	888	12
Autoclear HS+LV LH Activator	372	336
Autoclear Superior 250 Reducer	816	312
Autoclear Energy Pro 250 Activator	804	264
LV Elast-o-Actif	204	168
Autowave Additive LP	420	36
Autowave Underhood Additive	0	0
All Plastics Adhesion Promoter	864	864
LV 250 Accelerator	876	24
Autoclean Surface Cleaner 1.28	785	153
Autoclean Surface Cleaner	756	12
Cleaning Solvent LV	876	24

